POST-SURGERY INSTRUCTIONS: FACELIFT

Patient Name	Date	
	Surgery Date	
Once your surgery is completed, you must follow all the instruction good outcome.	s given to you in order to heal properly and have a	
The following instructions are your obligation. Use this as a checklist of progress as you heal. Included are normal post-surgical experiences and key health considerations that may be a cause of concern.		
TYPICAL POST-OPERATIVE SYMPTOMS Typical symptoms of facelift surgery and signs to watch for following	ng a facelift include:	
Tightness or numbness of the cheeks, face and neck: Bruisin complexion: These are normal experiences as the skin, tissues a you cope with any discomfort. Consistent sharp pain should be	nd sensory nerves heal. Pain medication will help	
If you have a drain placed in any incision, you may also experience localized discomfort at the drain site.		
CALL THE OFFICE IMMEDIATELY IF YOU EXPERIENCE ANY	OF THE FOLLOWING:	
 A high fever, (over 101°) severe nausea and vomiting such as hallucinations. 	, continued dizziness or incoherent behavior,	
Any pain that cannot be controlled by your pain med	ication.	
Bright red skin that is hot to the touch.		
Excessive bleeding or fluid seeping through the inci-	sions.	
A severely misshapen appearance or excessive bruing region.	sing or fluid retention that is localized to one	
To alleviate any discomfort, and to reduce swelling, you may apply cool (not cold) compresses to your eyes. Do not apply ice or anything frozen directly on the skin. Soak soft plain white washcloths or gauze squares in ice water and wring out well. Apply directly to the eyes, but not to the cheeks or neck. Do not apply any pressure. Apply cool compresses for no longer than 20-minute intervals. Do not apply any heat.		
COMPRESSION You may be placed in a compression garment or wrap immediately Remove it only as directed for cleansing incisions or showering.	y following surgery. Wear this exactly as directed.	
DAY OF SURGERY INSTRUCTIONS		
You will only be released to the care of a responsible adult. All of monitor your health and support you around the clock in the first 24		
Rest, but not bed rest: While rest is important in the important is that you are ambulatory: meaning that you spend 10 minutes every 2 hours engaged in light was	ou are walking under your own strength.	

	Recline, do not lie down: This will be more comfortable for you, and can reduce swelling. Always keep your head elevated. Do not bend forward or over.				
	Good nutrition: Fluids are critical following surgery. Stick to non-carbonated, non-alcoholic, caffeine-free and green tea-free beverages including fruit juices and water, milk and yogurt drinks. You must consume at least 8 ounces of fluid every 2 hours. Stick with soft, bland, nutritious food for the first 24 hours.				
	Good nutrition: Fluids are critical following scaffeine-free and green tea-free beverages in drinks. You must consume at least 8 ounces nutritious food for the first 24 hours.	ncluding fruit juices and water, r	nilk and yogurt		
	Take all medication, exactly as prescribed medications you must take include:	l. Oral pain medication, antibiot	ics and other		
Antibiotic:		Mg	x per day		
Pain medica	ation:	Mg	x per day		
Ointment:		-			
Other:		<u> </u>			
Supplemen	its:	<u> </u>			
<u> </u>	Keep your incisions clean. Your incisions we surgery. A cotton swab soaked in warm water remove any crusting near your stitches. Do nyou have any drains placed, follow the instruction of the surgery. Smoking can greatly impair y following surgery. You must not smoke. Relax. Do not engage in any stressful activities.	er is appropriate for cleansing in not remove any staples, sutures ctions for cleansing and caring your safety prior to surgery and	ncisions. Do not s or steri-strips. If for drains.		
TWO TO SE	VEN DAYS FOLLOWING SURGERY				
	me you will progress with each day that passe ing or return to work at your post-operative visi		s. You will receive clearance		
		days_			
Your	post-operative visit is scheduled for:				
•	Continue to cleanse wounds as directed; you not hot shower. Do not rub your scalp or your you must dry your hair, do so only with a hand compressed air to blow directly onto your incidence.	incisions. Use a mild shampood-held hair dryer on the coolest	and no styling products. If		

• Take antibiotic medications and supplements as directed. Take pain medication only as needed. You may wish to switch from prescription pain medication to acetaminophen or ibuprofen.

Apply ointment and skincare as directed. Do not use any glycolic, retinoid or other potentially irritating skincare products on your face until you receive clearance to do so.

- Continue to wear dark lens, large framed sunglasses and a wide-brimmed hat whenever you are outdoors. You may begin wearing reading glasses as soon as it is comfortable for you.
- Continue to keep you head elevated, including when sleeping.
- Do not resume any exercise other than regular walking. Walking is essential every day to prevent the formation of blood clots.
- Maintain a healthy diet. Do not smoke. Do not consume alcohol.

Post-operative treatment:	Make certain to schedule all of the post-operative treatments as prescribed:

ONE TO FOUR WEEKS FOLLOWING SURGERY

As you resume your normal daily activities, you must continue proper care and healing.

- Continue your wound care as directed. If your incisions are within the scalp: Do not use any styling
 products or tools until all stitches are removed AND until your incisions no longer have any crusting or
 scabbing. If your incisions are on the skin: Do not use any make-up until the stitches are removed AND
 until your incisions no longer have any crusting or scabbing.
- Refrain from direct sun exposure. Continue to wear your sunglasses and a wide-brimmed hat. If you are outdoors, apply at least an SPF 30 at least 30 minutes prior to sun exposure. Your face is highly susceptible to sunburn or the formation of irregular, darkened pigmentation.
- **Do not smoke.** While incisions may have healed, smoking deprives your body of necessary oxygen that can result in poorly healed, wide, raised scars.
- Refrain from any strenuous exercise and from bending or lifting.
- You may begin sleeping in a modified reclining position. However do not sleep lying flat or on your stomach. If you are a side sleeper, two pillows under your head and a soft pillow under your mid-back and shoulders may offer more comfort.

Follow-up as directed.	Your second post-operative visit is scheduled for:	

SIX WEEKS FOLLOWING SURGERY

Healing will progress; swelling and bruising continue to diminish.

- You may ease into your regular fitness routine. However protective eyewear and a hat are necessary when outdoors.
- Discomfort or tightness and tingling in your face will resolve.
- **No need to resume smoking.** You have now gone 10 weeks (4 weeks prior to surgery and 6 weeks following) without a cigarette. For your long-term health, there is no need to resume smoking.
- You may notice some hair loss at incision sites within the scalp. This is normal. If it becomes excessive, or the hair is shedding in clumps, please notify our office.

YOUR FIRST YEAR

- Continue good skincare and sun protection, healthy nutrition and fitness.
- Schedule any complementary procedures, as recommended. Botulinum injections or specific skincare treatments may be recommended to enhance your results, and to help your results to be long-lasting.
- Your scars will continue to refine. If they become raised, red or thickened, or appear to widen, contact our
 office. Early intervention is important to achieving well-healed scars. Scars are generally refined to fine
 incision lines one year after surgery.
- A one-year post surgery follow-up is recommended. However you may call our office at any time with your concerns or for needed follow-up.

Your appearance will change with age. Your facial appearance may change too. You may wish to undergo revision surgery at a late date to help maintain your appearance throughout life. Contact our office with any of your questions or concerns, at any time.

I have read and understand all of the above instructions. I understand that following these instructions is solely my responsibility. I understand that it is also my responsibility to ask my doctor and his or her staff any questions I have related to these instructions or about my procedure, health and healing.		
Patient Signature	Date	
Printed Name of Patient		

Signature of Practice Representative and Witness